

## **Technical Information**




Impact Test	Impact Angle on 78% inch Post Centers				
	90°	67.5°	)	45°	22.5°
Mid Rail Max Energy (Joules)	15,100	17,691		30,200	103,109
End Post Max Energy (Joules) - 90°			6,900		
Deflection at Max Energy 17 inches			Force to Bolt 24kN		
				Pos	

Material Properties	MEMAPLEX		
Temperature Range	14°F to 122°F		
Ignition Temperature	698°F to 734°F		
Flash Point	662°F to 698°F		
Toxicity	Not Hazardous		
Chemical Resistance	Excellent - ISO/TR 10358		
Weathering Stability (Grey Scale)	5/5*		
Light Stability (Blue Wool Scale)	7/8**		
Static Rating (Surface Resistivity)	1015 - 1016 Ω		
Hygiene Seals	Yes		

\* Weathering scale 1 is very poor and 5 is excellent \*\* Light stability scale 1 is very poor and 8 is excellent





**Color Combinations** 

\*Please note that the RAL and PANTONE colors listed are the closest match to standard A-SAFE colors, but may not be exact matches of the actual product color and should be used for guidance only.



Your Authorized A-SAFE Distributor 856-687-2227 • sales@banksindustrial.com • BanksIndustrial.com PO Box 382 • Berlin, NJ 08009



# iFlex




### **Engineered for performance**

Whether in the resilience, flexibility and in-built memory of our exclusive Memaplex<sup>™</sup> material or the unrivalled energy absorption of our unique 3-phase coupling system, a wealth of technical ingenuity goes into every A-SAFE product to ensure that it performs perfectly every time you need


#### MEMAPLEX

Advanced Engineering O-




#### **Energy Absorption System**

A patented 3-phase system that activates sequentially for unparalleled energy absorption



PHASE 1: Memaplex<sup>™</sup> rail flexes to absorb impact, initiating the rail pin to slide forward and transfer load energy to the compression pocket.



PHASE 2: Compression of the pocket continues to disperse energy as the coupling rotates around the post pin to activate further absorption.



PHASE 3: At peak energy, the coupling twists further, engaging the post pin and instigating torsion of the post to dispel remaining forces.